

Bibliographie

- [1] **ABRAMOWITZ** (M.) et **STEGUN** (I.A.). – *Handbook of Mathematical Functions*. – Washington D.C., U.S. Department of Commerce, National Bureau of Standards, 1964, volume 55.
- [2] **ALAJBEGOVIC** (A.), **GROGGER** (H.A.) et **PHILIPP** (H.). – Calculation of nozzles using the two-fluid model. *Dans: 7th annual Conference Computational Fluid Dynamics Society of Canada*. – Canada, 1999.
- [3] **AMSDEN** (A.A.), **O'ROURKE** (P.J.) et **BUTLER** (T.D.). – *KIVA-II: a computer program for chemically reactive flows with sprays*. – Rapport technique n° LA-11560-MS, Los Alamos National Laboratory, 1989.
- [4] **ARCOUMANIS** (C.) et **GAVAISES** (M.). – Linking nozzle flow with spray characteristics in a Diesel fuel injection system. *Atomization and Sprays*, vol. 8, 1998, pp. 307–347.
- [5] **ARCOUMANIS** (C.), **GAVAISES** (M.) et **FRENCH** (B.). – Effect of fuel injection processes on the structure of Diesel sprays. *SAE 970799*, 1997.
- [6] **ASHGRIZ** (N.) et **POO** (J.Y.). – FLAIR: Flux Line-segment model for Advection and Interface Reconstruction. *J. Comp. Phys.*, vol. 93, n° 449, 1991.
- [7] **AVVA** (R.K.), **SINGHAL** (A.K.) et **GIBSON** (D.H.). – An enthalpy based model of cavitation. *FED-ASME*, vol. 226, 1995.
- [8] **BASUKI** (W.), **SCHNERR** (G.H.) et **YUAN** (W.). – Single-phase and modified turbulence models for simulation of unsteady cavitating flows. *Dans: Proceedings German-Japanese Workshop on Multiphase Flow*. Forschungszentrum Karlsruhe, pp. F14–F29. – Karlsruhe, Allemagne, 2003.
- [9] **BATCHELOR** (G.K.). – *An introduction to fluid dynamics*. – Cambridge University Press, 1967.
- [10] **BAUER** (H.), **DIETSCHKE** (K.H.), **CREPIN** (J.), **DINKLER** (F.) et **BEER** (A.). – *Système d'injection Diesel à accumulateur Common Rail*. – Rapport technique, Robert Bosch GmbH, 1999.
- [11] **BAZ** (I.). – *Contribution à la caractérisation de la cavitation dans les injecteurs Diesel à haute pression*. – Thèse de Doctorat, École Centrale de Lyon, 2003.
- [12] **BÉARD** (P.), **DUCCLOS** (J.M.), **HABCHI** (C.), **BRUNEAUX** (G.), **MO-KADDEM** (K.) et **BARITAUD** (T.). – Extension of lagrangian-eulerian spray modeling: Application to high pressure evaporating Diesel sprays. *SAE 2000-01-1893*, 2000.

- [13] **BENJAMIN** (T.B.) et **ELLIS** (A.T.). – The collapse of cavitation bubbles and the pressures thereby produced against solid boundaries. *Phil. Trans. Roy. Soc.*, vol. A 260, 1966, pp. 221–240.
- [14] **BENKENIDA** (A.). – *Développement et validation d'une méthode de simulation d'écoulements diphasiques sans reconstruction d'interfaces. Application à la dynamique des bulles de Taylor.* – Thèse de Doctorat, INP Toulouse, 1999.
- [15] **BERG** (E.v.), **ALAJBEGOVIC** (A.), **GREIF** (D.), **POREDOS** (A.), **TATSCHL** (R.), **WINKLHOFFER** (E.) et **GANIPPA** (L.C.). – Primary breakup model for Diesel jets based on locally resolved flow field in the injection hole. *Dans : ILASS-Europe.* – Zaragoza, Espagne, 2002.
- [16] **BERG** (E.v.), **ALAJBEGOVIC** (A.), **TATSCHL** (R.), **KRÜGER** (C.) et **MICHELS** (U.). – Multiphase modeling of Diesel sprays with the eulerian/eulerian approach. *Dans : ILASS-Europe.* – Zürich, Suisse, 2001.
- [17] **BERGWERK** (W.). – Flow pattern in Diesel nozzle spray holes. *Proc. of the Inst. of Mech. Engineers*, vol. 173, n° 25, 1959, pp. 655–660.
- [18] **BIAUSSER** (B.), **GUIGNARD** (S.), **MARCER** (R.) et **FRAUNIE** (P.). – 3D two phase flows numerical simulations by SL-VOF method. *Int. J. Numer. Meth. Fluids*, vol. 45, 2004, pp. 581–604.
- [19] **BLAKE** (J.R.) et **GIBSON** (D.C.). – Growth and collapse of a vapour cavity near free surface. *J. Fluid Mech.*, vol. 111, 1981, pp. 124–140.
- [20] **BLAKE** (J.R.), **TAIB** (B.B.) et **DOHERTY** (G.). – Transient cavities near boundaries. Part 2. Free surface. *J. Fluid Mech.*, vol. 181, 1987, pp. 197–212.
- [21] **BLOKKEEL** (G.), **SILVANI** (X.), **DEMOULIN** (F.X.) et **BORGHI** (R.). – An eulerian model to improve the primary breakup modeling of atomizing jet. *Dans : ILASS-Europe.* – Zaragoza, Espagne, 2002.
- [22] **BORGHI** (R.). – Turbulent combustion modelling. *Prog. Energy Combust. Sci.*, vol. 14, 1988, pp. 245–292.
- [23] **BOUTHENET** (A.). – Le développement durable des transports. *Dans : The sustainable development of transport: which engines, which fuels?*, éd. par IFP. Panorama 2005. – Lyon, France, 2005.
- [24] **BRACKBILL** (J.U.), **KOTHE** (D.B.) et **ZEMACH** (C.). – A continuum method for modeling surface tension. *J. Comp. Phys.*, vol. 100, 1992, pp. 335–354.
- [25] **BRENNEN** (C.E.). – *Cavitation and bubble dynamics.* – Oxford University Press, 1995.
- [26] **BRUNEAUX** (G.). – Liquid and vapor spray structure in high pressure Common Rail Diesel injection. *Atomization and Sprays*, 2000.
- [27] **CHAHINE** (G.L.). – Interaction between an oscillating bubble and a free surface. *Trans. ASME Ser. I – Journal of Fluid Engineering*, vol. 99, 1977, pp. 709–716.
- [28] **CHAVES** (H.). – Communication personnelle, 2002.
- [29] **CHAVES** (H.), **KIRMSE** (C.) et **OBBERMEIER** (F.). – *Velocity measurements with a standard Common Rail injection system.* – Rapport technique, Technische Universität Bergakademie Freiberg, Sachsen, Germany, 2002.

- [30] **CHAVES (H.), KNAPP (M.), KUBITZEK (A.), OBERMEIER (F.) et SCHNEIDER (T.)**. – Experimental study of cavitation in the nozzle hole of Diesel injectors using transparent nozzles. *SAE 950290*, 1995.
- [31] **CHAVES (H.), MULHEM (B.) et OBERMEIER (F.)**. – Comparison of high speed stroboscopic pictures of spray structures of a Diesel spray with numerical calculations based on a convective instability theory. *Dans: ILASS – Europe '99*. – Toulouse, France, 1999.
- [32] **CHEN (Y.) et HEISTER (S.D.)**. – Two-phase modeling of cavitated flows. *Comp. Fluids*, vol. 24, n° 7, 1995, pp. 799–809.
- [33] **CICCHITTI (A.), LOMBARDI (C.), SILVESTRI (M.), SOLDDAINI (G.) et ZAVALLUILLI (R.)**. – Two-phase cooling experiments – Pressure drop, heat transfer and burnout measurement. *Energia Nucl.*, vol. 7, n° 6, 1960, pp. 407–425.
- [34] **COMPAGNON (B.), HAUPAIS (A.) et LE COTTIER (P.)**. – *Évaluation des mécanismes de fractionnement du jet dans une démarche modélisation - Rapport intermédiaire n° 2*. – Rapport technique n° B.C.C298.00640.A, CRMT, 1998.
- [35] **COMPAGNON (B.), HAUPAIS (A.) et LE COTTIER (P.)**. – *Effet de la géométrie du trou et de l'aération du gazole sur la cavitation et le fractionnement primaire du jet - Rapport intermédiaire*. – Rapport technique n° B.C.C314.00655A, CRMT, 1999.
- [36] **COMPAGNON (B.), HAUPAIS (A.) et LE COTTIER (P.)**. – *Évaluation des mécanismes de fractionnement du jet dans une démarche modélisation - Rapport final*. – Rapport technique n° B.C.C298.00647.A, CRMT, 1999.
- [37] **COOPER (P.)**. – Analysis of single and two-phase flows in turbopump inducers. *Journal of Engineering for Power*, 1967, pp. 577–588.
- [38] **COURANT (R.), FRIEDRICHS (K.) et LEWY (H.)**. – On the partial difference equations of mathematical physics. *IBM Journal*, vol. 11, 1967, pp. 215–234.
- [39] **COUTIER-DELGOSHA (O.), FORTES-PATELLA (R.) et REBOUD (J.L.)**. – Simulation of unsteady cavitation with a two-equation turbulence model including compressibility effects. *Journal of Turbulence*, vol. 3, n° 58, 2002, pp. 1–20.
- [40] **COUTIER-DELGOSHA (O.), FORTES-PATELLA (R.) et REBOUD (J.L.)**. – Evaluation of the turbulence model influence on the numerical simulations of unsteady cavitation. *Journal of Fluid Engineering*, vol. 125, 2003, pp. 38–45.
- [41] **COUTIER-DELGOSHA (O.), FORTES-PATELLA (R.), REBOUD (J.L.), HAKIMI (N.) et HIRSCH (C.)**. – Numerical simulation of cavitating flow in 2D and 3D inducer geometries. *Int. J. Num. Meth. Fluids*, vol. 48, 2005, pp. 135–167.
- [42] **COUTIER-DELGOSHA (O.), REBOUD (J.L.) et DELANNOY (Y.)**. – Numerical simulation of unsteady cavitating flow. *Int. J. Num. Meth. Fluids*, vol. 42, n° 5, 2003, pp. 527–548.

- [43] **D'AGOSTINO** (L.), **RAPPOSELLI** (E.), **PASCARELLA** (C.) et **CIUCCI** (A.). – A modified bubbly isenthalpic model for numerical simulation of cavitating flows. *Dans : 37th AIAA/ASME/SAE/ASEE Joint Propulsion Conference*. – Salt Lake City, UT, USA, 2001.
- [44] **DALY** (B.J.). – Numerical study of two fluid Rayleigh-Taylor instability. *Phys. Fluids*, vol. 10, n° 2, 1967, pp. 297–307.
- [45] **DANAILA** (I.). – *Étude des instabilités et des structures cohérentes dans la zone de proche sortie d'un jet axisymétrique*. – Thèse de Doctorat, Université Aix-Marseille II, 1997.
- [46] **DELANNOY** (Y.) et **KUENY** (J.L.). – Two phase flow approach in unsteady cavitation modeling. *ASME Cavitation and Multiphase flow forum*, vol. 98, 1990, pp. 153–158.
- [47] **DELHAYE** (J.M.). – *Contribution à l'étude des écoulements diphasiques eau-air et eau-vapeur*. – Thèse de Doctorat, Université de Grenoble, 1970.
- [48] **DELHAYE** (J.M.). – Some issues related to the modeling of interfacial areas in gas-liquid flows. *C.R. Acad. Sci. Paris*, vol. IIb, n° 329, 2001, pp. 397–410.
- [49] **DREW** (D.A.). – Mathematical modeling of two-phase flow. *Ann. Rev. Fluid Mech.*, vol. 15, 1983, pp. 261–291.
- [50] **DREYFUS** (G.). – Les réseaux de neurones : une technique opérationnelle pour le traitement des données industrielles, économiques et financières. *Mesures*, n° 699, 1997.
- [51] **DREYFUS** (G.). – Les réseaux de neurones. *Mécanique Industrielle et Matériaux*, n° 51, 1998.
- [52] **DUGAS** (C.), **CHAPADOS** (N.) et **BENGIO** (Y.). – *Introduction aux réseaux de neurones*. – Rapport technique, ApSTAT Technologies, 2002.
- [53] **DUKLER** (A.E.), **WICKS** (M.) et **CLEVELAND** (R.G.). – Pressure drop and hold-up in two-phase flow. *A.I.Ch.E. J.*, vol. 10, n° 1, 1964, pp. 38–51.
- [54] **DUMONT** (N.). – *Modélisation de l'écoulement diphasique dans les injecteurs Diesel*. – Thèse de Doctorat, INP Toulouse, 2004.
- [55] **DUMONT** (N.), **SIMONIN** (O.) et **HABCHI** (C.). – Cavitating flows in Diesel injectors : a bibliographical review. *Dans : 8th International Conference on Liquid Atomization and Spray Systems ICLASS2000*. – Pasadena, CA, USA, 2000.
- [56] **DUMONT** (N.), **SIMONIN** (O.) et **HABCHI** (C.). – Numerical simulation of cavitating flows in Diesel injectors by a homogeneous equilibrium modeling approach. *Dans : Fourth International Symposium on Cavitation CAV2001*. California Institute of Technology. – Pasadena, CA, USA, 2001.
- [57] **EIFLER** (W.). – *Untersuchungen zur Struktur des instationären Dieselölspritzstrahles in Düsenbereich mit der Methode der Hochfrequenz-Kinematografie*. – Thèse de Doctorat, Universität Kaiserslautern, Allemagne, 1990.
- [58] **FAETH** (G.M.). – Structure and atomization properties of dense turbulent sprays. *Dans : Twenty-third Symposium (International) Combustion*. The Combustion Institute, pp. 1345–1352. – Université d'Orléans, France, 1990.

- [59] **FAVENNEC** (A.G.) et **LEBRUN** (M.). – Models for injector nozzles. *Dans: 6th Scandinavian International Conference on Fluid power*. SICF'99. – Tampere, Finlande, 1999.
- [60] **FAVRE** (A.). – Équations statistiques de fluides turbulents compressibles. *Dans: Proc. Fifth Canadian Congress of Applied Mechanics*. – G3–G34, 1975.
- [61] **FRANC** (J.P.), **AVELLAN** (F.), **BELAHADJI** (B.), **BILLARD** (J.Y.), **BRIANCON-MARJOLLET** (L.), **FRECHOU** (D.), **FRUMAN** (D.H.), **KARIMI** (A.), **KUENY** (J.L.) et **MICHEL** (J.M.). – *La cavitation*. – Presses Universitaires de Grenoble, 1995.
- [62] **GAVAISES** (M.). – *Modeling of Diesel fuel injection processes*. – Thèse de Doctorat, Imperial College, Londres, Royaume-Uni, 1997.
- [63] **GEAR** (C.W.). – *Numerical Initial Value Problems in Ordinary Differential Equations*. – Englewood Cliffs, NJ: Prentice-Hall, 1971.
- [64] **GIBSON** (D.C.). – Cavitation adjacent to plane boundaries. *Dans: Proc. 3rd Austral. Conf. on Hydraulics and Fluid Mechanics*. Institution of Engineers, pp. 210–214. – Sydney, Australie, 1968.
- [65] **GIBSON** (D.C.) et **BLAKE** (J.R.). – Growth and collapse of cavitation bubbles near flexible boundaries. *Dans: Proc. 7th Austral. Conf. on Hydraulics and Fluid Mechanics*. Institution of Engineers, pp. 283–286. – Brisbane, Australie, 1980.
- [66] **GOSMAN** (A.D.) et **CLERIDES** (D.). – Diesel spray modeling: a review. *Dans: 13th annual International Conference on Liquid Atomization and Spray Systems*, pp. 12–21. – Florence, Italie, 1997.
- [67] **GOUSE** (S.W.) et **BROWN** (G.A.). – A survey of the velocity of sound in two-phase mixtures. *ASME Paper*, n° 64-WA/FE-35, 1964.
- [68] **GRAY** (W.G.) et **LEE** (P.C.Y.). – On the theorems for local volume averaging of multiphase systems. *Int. J. Multiph. Flow*, vol. 3, 1977, pp. 333–340.
- [69] **GUEYFFIER** (D.) et **ZALESKI** (S.). – Full Navier-Stokes simulations of droplet impact on thin liquid films. *Dans: Third International Conference on Multiphase Flow*. ICMF'98. – Lyon, France, 1998.
- [70] **GUIGNARD** (S.), **MARCER** (R.), **REY** (V.), **KHARIF** (C.) et **FRAU-NIÉ** (P.). – Solitary wave breaking on sloping beaches: 2D two phase flow numerical simulation by SL-VOF method. *European Journal of Mechanics B – Fluids*, vol. 20, 2001, pp. 57–74.
- [71] **GUIGUES** (F.). – *Modélisation 1D du système d'injection Common Rail*. – Rapport technique, Institut Français du Pétrole, 2001.
- [72] **HABCHI** (C.), **DUMONT** (N.) et **SIMONIN** (O.). – CAVIF: a 3D code for the modeling of cavitating flows in Diesel injectors. *Dans: 9th International Conference on Liquid Atomization and Spray Systems ICLASS 2003*. – Sorrento, Italie, 2003.
- [73] **HABCHI** (C.) et **TORRES** (A.). – A 3D multi-block structured version of the Kiva-2 code. *Dans: First European CFD conference proceedings*, éd. par ELSEVIER, pp. 533–540. – Bruxelles, Belgique, 1992.

- [74] **HABCHI (C.)**, **VERHOEVEN (D.)**, **HUYNH HUU (C.)**, **LAMBERT (L.)**, **VANHEMELRYCK (J.L.)** et **BARITAUD (T.)**. – Modeling atomization and break-up in high-pressure Diesel sprays. *SAE 970881*, 1997.
- [75] **HANKE (D.)** et **BALLMANN (P.)**. – Strong changes of state in collapsing bubbles. *Z. angew. Math. Mech.*, vol. 78, 1998, pp. 453–454.
- [76] **HARLOW (F.H.)** et **WELCH (J.E.)**. – The MAC method: a computing technique for solving viscous, incompressible, transient fluid flow problems involving free surfaces. *Phys. Fluids*, vol. 8, 1965, pp. 2182–2189.
- [77] **HELMHOLTZ (H.v.)**. – Über discontinuirliche Flüssigkeitsbewegungen. *Monats. Königl. Preuss. Akad. Wiss. Berlin*, vol. 23, 1868, pp. 215–228.
- [78] **HEYWOOD (J.B.)**. – *Internal combustion engine fundamentals*. – McGraw Hill, 1988.
- [79] **HIRSCH (C.)**. – *Numerical Computation of Internal and External Flows*. – John Wiley & Sons, 1988, volume 1.
- [80] **HIRT (C.W.)**, **AMSDEN (A.A.)** et **COOK (J.L.)**. – An Arbitrary Lagrangian-Eulerian computing method for all flow speeds. *J. Comp. Phys.*, vol. 14, 1974, pp. 227–253.
- [81] **HIRT (C.W.)** et **NICHOLS (B.D.)**. – Volume Of Fluid (VOF) method for the dynamics of free boundaries. *J. Comp. Physics*, vol. 39, 1981, pp. 201–225.
- [82] **HORNIK (K.)**, **STINCHCOMBE (M.)** et **WHITE (H.)**. – Multilayer feedforward networks are universal approximators. *Neural Networks*, vol. 2, 1989, pp. 359–366.
- [83] **HORNIK (K.)**, **STINCHCOMBE (M.)**, **WHITE (H.)** et **AUER (P.)**. – Degree of approximation results for feedforward networks approximating unknown mappings and their derivatives. *Neural Computation*, vol. 6, 1994, pp. 1262–1275.
- [84] **HOWES (F.A.)** et **WHITAKER (S.)**. – The spatial averaging theorem revisited. *Chem. Eng. Sci.*, vol. 40, n° 8, 1985, pp. 1387–1392.
- [85] **HUH (K.Y.)** et **GOSMAN (A.D.)**. – A phenomenological model of Diesel spray atomization. *Dans: Proc. Int. Conf. on Multiphase Flow*, pp. 271–276. – Tsukuba, Japon, 1991.
- [86] **HUH (K.Y.)**, **LEE (E.)** et **KOO (J.Y.)**. – Diesel spray atomization model considering nozzle exit turbulence conditions. *Atomization and Sprays*, vol. 8, 1998, pp. 453–469.
- [87] **HUMMEL (K.)**, **BOECKING (F.)**, **GROSS (J.)**, **STEIN (J.O.)** et **DOHLE (U.)**. – Third-generation Common Rail system. *MTZ worldwide 3*, vol. 65, 2004, pp. 9–12.
- [88] **ISHII (M.)**. – *Thermo-fluid dynamic theory of two-phase flow*. – Édition Eyrolles, Paris, 1975.
- [89] **JAMET (D.)**. – *Étude des potentialités de la théorie du second gradient pour la simulation numérique directe des écoulements liquide-vapeur avec changement de phase*. – Thèse de Doctorat, École Centrale Paris, 1998.
- [90] **JAY (S.)**, **LACAS (F.)** et **CANDEL (S.)**. – An eulerian modeling of primary atomization in coaxial injectors. *Dans: 17th Annual Conference on Liquid Atomization and Spray Systems*. ETH. – Zürich, Suisse, 2001.

- [91] **KARPLUS** (H.B.). – *The velocity of sound in a liquid containing gas bubbles.* – Rapport technique n° COO-248, Illinois Inst., 1958.
- [92] **KELVIN** (Lord). – Hydrokinetic solutions and observations. *Phil. Mag.*, vol. 42, n° 4, 1871, pp. 362–377.
- [93] **KNAPP** (R.T.), **DAILY** (J.W.) et **HAMMITT** (F.G.). – *Cavitation.* – McGraw-Hill, 1970.
- [94] **KOKH** (S.), **ALLAIRE** (G.) et **CLERC** (S.). – Towards boiling crisis simulation: the Level Set method. *Dans: Ninth Int. Topical Meeting on Nuclear Reactor Thermal Hydraulics.* – San Francisco, CA, USA, 1999.
- [95] **KUBOTA** (A.), **KATO** (H.) et **YAMAGUCHI** (H.). – A new modeling of cavitated flow : a numerical study of unsteady cavitation on a hydrofoil section. *J. Fluid Mech.*, vol. 240, 1992.
- [96] **KUTTA** (M.W.). – Beitrag zur Näherungsweise Integration totaler Differentialgleichungen. *Z. angew. Math. Phys.*, vol. 46, 1901, pp. 435–453.
- [97] **LAFURIE** (B.), **NARDONE** (C.), **SCARDOVELLI** (R.), **ZALESKI** (S.) et **ZANETTI** (G.). – Modelling merging and fragmentation in multiphase flows with SURFER. *J. Comp. Physics*, vol. 113, 1994, pp. 134–147.
- [98] **LAMBERT** (L.). – *Étude bibliographique sur les jets Diesel.* – Rapport technique n° 40709, Institut Français du Pétrole, 1993.
- [99] **LAMBERT** (L.). – *Modélisation des jets d'injection haute pression des moteurs Diesel et validation expérimentale.* – Thèse de Doctorat, École Centrale Paris, 1996.
- [100] **LE** (H.) et **MOIN** (P.). – An improvement of fractional step methods for the incompressible Navier-Stokes equations. *J. Comp. Phys.*, vol. 92, n° 2, 1991, pp. 369–379.
- [101] **LECOFFRE** (Y.). – *La cavitation - Traqueurs de bulles.* – Hermes, 1994.
- [102] **LEGENDRE** (D.). – *Quelques aspects des forces hydrodynamiques et des transferts de chaleur sur une bulle sphérique.* – Thèse de Doctorat, INP Toulouse, 1996.
- [103] **LI** (J.). – Calcul d'interface affine par morceaux. *C.R. Acad. Sci. Paris*, vol. Iib, n° 320, 1995, pp. 391–396.
- [104] **LIU** (A.B.), **MATHER** (D.) et **REITZ** (R.D.). – Modeling the effects of drop drag and breakup on fuel sprays. *SAE 930072*, 1993.
- [105] **LIU** (A.B.) et **REITZ** (R.D.). – Mechanisms of air-assisted liquid atomization. *Atomization and Sprays*, vol. 15, 1993, pp. 55–75.
- [106] **LIU** (T.G.), **KHOO** (B.C.) et **XIE** (W.F.). – Isentropic one-fluid modelling of unsteady cavitating flow. *J. Comp. Phys.*, vol. 201, 2004, pp. 80–108.
- [107] **MACIAN** (V.), **BERMUDEZ** (V.), **PAYRI** (R.) et **GIMENO** (J.). – New technique for determination of internal geometry of a Diesel nozzle with the use of silicone methodology. *Experimental Techniques*, vol. 27, n° 2, 2003, pp. 39–43.
- [108] **MANSOUR** (A.) et **CHIGIER** (N.). – Effect of turbulence on the stability of liquid jets and resulting droplet size distribution. *Atomization and Sprays*, vol. 4, 1994, pp. 583–604.

- [109] MANTEL (T.) et BORGHI (R.). – A new model of premixed wrinkled flame propagation based on a scalar dissipation equation. *Combust. Flame*, vol. 96, 1994, pp. 443–457.
- [110] MARCER (R.), LE COTTIER (P.), CHAVES (H.), ARGUEY-ROLLES (B.), HABCHI (C.) et BARBEAU (B.). – A validated numerical simulation of Diesel injector flow using a VOF method. *SAE 2000-01-2932*, 2000.
- [111] MARCER (R.) et LE GOUEZ (J.M.). – Simulation of unsteady cavitating flows in Diesel injector with an improved VOF method. *Dans : ILASS - Europe 2001*. – Zürich, Suisse, 2001.
- [112] MARUYAMA (S.), KURASHIGE (T.), MATSUMOTO (S.), YAMAGUSHI (Y.) et KIMURA (T.). – Liquid droplet in contact with a solid surface. *Microscale Thermophysical Engineering*, vol. 2, n° 1, 1998.
- [113] McADAMS (W.H.), WOOD (W.K.) et BRYAN (R.L.). – Vaporization inside horizontal tubes. II. Benzene-oil mixtures. *Trans. ASME*, vol. 64, 1942, p. 193.
- [114] McKINLEY (T.L.) et PRIMUS (R.J.). – Three-dimensional calculations of air motion, sprays, and combustion in a quiescent Direct-Injection Diesel engine. *ASME 90-ICE-2*, 1990.
- [115] MINNAERT (M.). – Musical air bubbles and the sound of running water. *Phil. Mag.*, vol. 16, 1933, pp. 235–248.
- [116] MIRANDA (R.), CHAVES (H.), MARTIN (U.) et OBERMEIER (F.). – Cavitation in a transparent real size VCO injection nozzle. *Dans : 9th International Conference on Liquid Atomization and Spray Systems ICLASS 2003*. – Sorrento, Italie, 2003.
- [117] MOKADDEM (K.) et LESSART (P.). – *Base de données sur moteur transparent en injection directe Diesel Common Rail : visualisation des phases liquide et vapeur des jets*. – Rapport technique n° 45337, Institut Français du Pétrole, 1999.
- [118] MONIN (A.S.) et YAGLOM (A.M.). – *Statistical fluid mechanics*. – Ed. J.L. Lumley, Cambridge, MIT Press, 1971, volume 1 et 2.
- [119] MOREAU (J.B.), SIMONIN (O.) et HABCHI (C.). – A numerical study of cavitation influence on Diesel jet atomisation. *Dans : ILASS - Europe '04*, pp. 302–307. – Nottingham, Royaume-Uni, 2004.
- [120] MOREL (C.). – *Modélisation multidimensionnelle des écoulements diphasiques gaz-liquide. Application à la simulation des écoulements à bulles ascendants en conduite verticale*. – Thèse de Doctorat, École Centrale Paris, 1997.
- [121] MOULIÈRES (J.). – *Modélisation 3D de l'injection Diesel*. – Rapport technique, Institut Français du Pétrole.
- [122] MOUREAU (V.). – *Évaluation de codes moteur pour des applications LES*. – Rapport technique, IFP, 2001.
- [123] NICHOLLS (J.A.). – Stream and droplet breakup by shock waves. *NASA SP-194*, 1972, pp. 126–128.

- [124] **NICHOLS** (B.D.) et **HIRT** (C.W.). – Methods for calculating multi-dimensional, transient free surface flows past bodies. *Dans: Proc. First Intern. Conf. Num. Ship Hydrodynamics*. – Gaithersburg, ML, USA, 1975.
- [125] **NOBARI** (M.R.), **JAN** (Y.J.) et **TRYGGVASON** (G.). – Head-on collision of drops: a numerical investigation. *Phys. Fluids*, vol. 8, 1996, pp. 29–42.
- [126] **OBERMEIER** (F.), **CHAVES** (H.) et **KIRMSE** (C.). – *Study of cavitation in the nozzle hole for realistic Diesel injection conditions: VCO geometry and unsteady flow*. – Rapport technique, Technische Universität Bergakademie Freiberg, Sachsen, Allemagne, 2001.
- [127] **OHNESORGE** (W.v.). – Die Bildung von Tropfen an Düsen und die Auflösung flüssiger Strahlen. *Z. angew. Math. Mech.*, vol. 16, 1936, pp. 355–358.
- [128] **O’ROURKE** (P.J.) et **AMSDEN** (A.A.). – The TAB method for numerical calculation of spray droplet breakup. *SAE 872089*, 1987.
- [129] **OSHER** (S.) et **SETHIAN** (J.A.). – Fronts propagating with curvature-dependent speed: algorithms based on Hamilton-Jacobi formulations. *J. Comp. Phys.*, vol. 79, 1988, pp. 12–49.
- [130] **PILCH** (M.) et **ERDMAN** (C.A.). – Use of breakup time data and velocity history data to predict the maximum size of stable fragments for acceleration-induced breakup of a liquid drop. *Int. J. Multiph. Flow*, vol. 13, n° 6, 1987, pp. 741–757.
- [131] **PIRES DA CRUZ** (A.). – Communication personnelle, juillet 2003.
- [132] **PLESSET** (M.S.) et **CHAPMAN** (R.B.). – Collapse of an initially spherical vapour cavity in the neighbourhood of a solid boundary. *J. Fluid Mech.*, vol. 47, 1971, pp. 283–290.
- [133] **POINSOT** (T.J.) et **LELE** (S.K.). – Boundary conditions for direct simulations of compressible viscous flows. *J. Comp. Phys.*, vol. 101, 1992, pp. 104–129.
- [134] **PRACT** (W.E.). – Calculating three-dimensional fluid flows at all speeds with an Eulerian-Lagrangian computing mesh. *J. Comp. Phys.*, vol. 17, 1975, pp. 132–159.
- [135] **RAYLEIGH** (Lord). – On the pressure developed in a liquid during the collapse of a spherical void. *Phil. Mag.*, vol. 34, 1917, pp. 94–98.
- [136] **RAYNAL** (L.). – *Instabilité et entraînement à l’interface d’une couche de mélange liquide-gaz*. – Thèse de Doctorat, Université Joseph Fourier, Grenoble I, 1997.
- [137] **REITZ** (R.D.). – *Atomization and other break-up regimes of a liquid jet*. – Thèse de Doctorat, Princeton University, USA, 1978.
- [138] **REITZ** (R.D.). – Modeling atomization processes in high-pressure vaporizing sprays. *Atomisation and Spray Technology*, vol. 3, 1987, pp. 309–337.
- [139] **REITZ** (R.D.) et **BRACCO** (F.B.). – Mechanism of atomization of a liquid jet. *Phys. Fluids*, vol. 25, n° 10, 1982, pp. 1730–1742.
- [140] **REITZ** (R.D.) et **BRACCO** (F.V.). – Mechanisms of breakup of round liquid jets. *Dans: Encyclopedia of Fluid Mechanics*. pp. 233–249. – NJ, 1986.
- [141] **REITZ** (R.D.) et **DIWAKAR** (R.). – Effect of drop break-up on fuel sprays. *SAE 860469*, 1986.

- [142] **REITZ** (R.D.) et **DIWAKAR** (R.). – Structure of high-pressure fuel sprays. *SAE 870598*, 1987.
- [143] **REYNOLDS** (O.). – An experimental investigation of the circumstances which determine whether the motion of water shall be direct or sinuous, and of the law of resistance in parallel channels. *Phil. Trans.*, vol. 174, 1883, pp. 935–982.
- [144] **RODI** (W.). – A new algebraic relation for calculating the Reynolds stress tensor. *Z. angew. Math. Mech.*, vol. 56, 1976, pp. 219–221.
- [145] **RUIZ** (F.) et **CHIGIER** (N.). – The mechanics of high speed atomization. *Dans: ICLASS 85*. – Londres, Royaume-Uni, 1985.
- [146] **RUIZ** (F.) et **HE** (L.). – Turbulence inside a cavitating injector orifice: a different kind. *Atomization and Sprays*, vol. 9, 1999, pp. 419–429.
- [147] **RUNGE** (C.D.T.). – Über die numerische Auflösung von Differentialgleichungen. *Math. Annalen*, vol. 46, 1895, pp. 167–178.
- [148] **RYSKIN** (G.) et **LEAL** (L.G.). – Numerical solution of free-boundary problems in fluid mechanics. *J. Fluid Mech.*, n° 148, 1984, pp. 1–43.
- [149] **SALIBA** (R.), **BAZ** (I.), **CHAMPOUSSIN** (J.C.), **LANCE** (M.) et **MARIÉ** (J.L.). – Cavitation effect on the near nozzle spray development in high pressure Diesel injection. *Dans: ILASS - Europe '04*, pp. 302–307. – Nottingham, Royaume-Uni, 2004.
- [150] **SAUREL** (R.) et **ABGRALL** (R.). – A multiphase Godunov method for compressible multifluid and multiphase flows. *J. Comp. Phys.*, vol. 150, 1999, pp. 425–467.
- [151] **SAUREL** (R.) et **ABGRALL** (R.). – A simple method for compressible multifluid flows. *SIAM J. Sci. Comput.*, vol. 21, n° 3, 1999, pp. 1115–1145.
- [152] **SCHMIDT** (D.P.). – *Cavitation in Diesel fuel injector nozzles*. – Thèse de Doctorat, University of Wisconsin-Madison, WI, USA, 1997.
- [153] **SCHMIDT** (D.P.), **RUTLAND** (C.J.) et **CORRADINI** (M.L.). – A fully compressible, two-dimensional model of small, high-speed, cavitating nozzles. *Atomization and Sprays*, vol. 9, 1999, pp. 255–276.
- [154] **SIMONIN** (O.). – Prediction of the dispersed phase turbulence in particle-laden jets. *Dans: Proc. Fourth International Symposium on gas-solid flows*. ASME FED, pp. 197–206.
- [155] **SMALLWOOD** (G.J.) et **GUILDER** (O.L.). – Views on the structure of transient Diesel sprays. *Atomization and Sprays*, vol. 10, 2000, pp. 355–386.
- [156] **SMEREKA** (P.). – Level Set methods for two-fluid flows. *Dans: Méthodes numériques pour les écoulements diphasiques*. Écoles CEA-EDF-INRIA. – Rocquencourt, France, 1996.
- [157] **SOTERIOU** (C.), **ANDREWS** (R.) et **SMITH** (M.). – Direct injection Diesel sprays and the effect of cavitation and hydraulic flip on atomization. *SAE 950080*, 1995.
- [158] **SOULAS** (J.). – *Modélisation et simulation de la pulvérisation d'un jet liquide. Application à l'injection directe essence*. – Thèse de Doctorat, INP Toulouse, 2002.

- [159] **SUSSMAN (M.), SMERKA (P.) et OSHER (S.)**. – A Level Set approach for computing solutions to incompressible two-phase flow. *J. Comp. Phys.*, vol. 114, 1994, pp. 146–159.
- [160] **TAYLOR (G.I.)**. – The shape and acceleration of a drop in a high speed air stream. *Dans: The scientific papers of G.I. Taylor – vol. III*, éd. par Batchelor (G.K.), pp. 457–464. – Cambridge University Press, 1963.
- [161] **THEODORAKAKOS (A.) et BERGELES (G.)**. – Simulation of sharp gas-liquid interface using VOF method and adaptative grid local refinement around the interface. *Int. J. Numer. Meth. Fluids*, vol. 45, 2004, pp. 421–439.
- [162] **THOMPSON (K.W.)**. – Time dependent boundary conditions for hyperbolic systems. *J. Comp. Phys.*, vol. 68, 1987, pp. 1–24.
- [163] **TRUCHOT (B.)**. – *Modélisation des jets de carburants liquides dans les moteurs par une approche eulérienne*. – Rapport technique, IFP, 2004.
- [164] **TRUCHOT (B.), BENKENIDA (A.) et MAGNAUDET (J.)**. – An eulerian approach for spray modelling in internal combustion engines. *Dans: 19th International Conference on Liquid Atomization and Spray Systems*. pp. 350–355. – Nottingham, Royaume-Uni, 2004.
- [165] **TRYGGVASON (G.), BUNNER (B.), ESMAEELI (A.), JURIC (D.), AL-RAWAHI (N.), TAUBER (W.), HAN (J.), NAS (S.) et JAN (Y.J.)**. – A front-tracking method for the computations of multiphase flow. *J. Comp. Phys.*, vol. 169, 2001, pp. 708–759.
- [166] **UNVERDI (H.) et TRYGGVASON (S.)**. – A front-tracking method for viscous, incompressible, multi-fluid flow. *J. Comp. Phys.*, vol. 100, 1992, pp. 25–37.
- [167] **VALLET (A.)**. – *Contribution à la modélisation de l'atomisation d'un jet liquide haute pression*. – Thèse de Doctorat, Université de Rouen, 1997.
- [168] **VALLET (A.) et BORGHI (R.)**. – An eulerian model of atomization of a liquid jet. *Dans: Third International Conference on Multiphase Flow*. – Lyon, France, 1998.
- [169] **VAN LEER (B.)**. – Towards the ultimate conservative difference scheme. V. A second-order sequel to Godunov's method. *J. Comp. Phys.*, vol. 32, 1979, pp. 101–136.
- [170] **VASILIEV (O.F.)**. – Problems of two-phase flow theory. *Dans: Proc. Thirteenth Congress of the International Association for Hydraulic Research*, pp. 39–84. – Kyoto, Japon, 1969.
- [171] **VERHOEVEN (D.), VANHEMELRYCK (J.L.) et BARITAUD (T.)**. – Macroscopic and ignition characteristics of high-pressure sprays of single-component fuels. *SAE 981069*, 1998.
- [172] **WALLIS (G.B.)**. – *One-dimensional two-phase flow*. – Mc Graw-Hill, 1969.
- [173] **WANG (Q.X.), YEO (K.S.), KHOO (B.C.) et LAM (K.Y.)**. – Strong interaction between a buoyancy bubble and a free surface. *Theoret. Comput. Fluid Dynamics*, vol. 8, 1996, pp. 73–88.
- [174] **WEBER (M.)**. – Die Grundlagen der Ähnlichkeitsmechanik und ihre Verwendung bei Modellversuchen. *Jahrbuch der Schiffbautechnischen Gesellschaft*, vol. 20, 1919, pp. 355–477.

- [175] **WINKLHOFER** (E.). – Velocities and structure of atomizing Diesel sprays. *Dans: 13th ILASS Proceedings*, pp. 89–93. – Florence, Italie, 1997.
- [176] **WU** (K.J.), **SU** (C.C.), **STEINBERGER** (R.L.), **STANTAVICCA** (D.A.) et **BRACCO** (F.V.). – Measurements of the spray angle of atomizing jets. *Journal of Fluid Engineering*, vol. 105, 1983.
- [177] **WU** (P.K.) et **FAETH** (G.M.). – Aerodynamic effects on primary breakup of turbulent liquids. *Atomization and Sprays*, vol. 3, 1993, pp. 265–289.
- [178] **WU** (P.K.), **RUFF** (G.A.) et **FAETH** (G.M.). – Primary breakup in liquid/gas mixing layers. *AIAA-91-0285*, 1991.
- [179] **WU** (P.K.), **TSENG** (L.K.) et **FAETH** (G.M.). – Primary breakup in gas/liquid mixing layers for turbulent liquids. *Atomization and Sprays*, vol. 2, 1992, pp. 295–317.
- [180] **ZALESKI** (S.), **LI** (J.), **SUCCI** (S.), **SCARDOVELLI** (R.) et **ZAETTI** (G.). – Direct numerical simulation of flows with interfaces. *Dans: Second International Conference on Multiphase Flow*. – Kyoto, Japon, 1995.
- [181] **ZHANG** (Y.L.), **YEO** (K.S.), **KHOO** (B.C.) et **CHONG** (W.K.). – Three-dimensional computation of bubbles near a free surface. *J. Comp. Phys.*, vol. 146, 1998, pp. 105–123.
- [182] **ZOLVER** (M.), **KLAHR** (D.), **BOHBOT** (J.), **LAGET** (O.) et **TORRES** (A.). – Reactive CFD in engines with new unstructured parallel solver. *Oil & Gas Science and Technology*, vol. 58, n° 1, 2003, pp. 33–46.